

Strictly Confidential — (For Internal and Restricted Use Only)

Secondary School Certificate Examination

March 2017

Marking Scheme — Mathematics 30/1/1, 30/1/2, 30/1/3 [Delhi Region]

General Instructions:

- 1. The Marking Scheme provides general guidelines to reduce subjectivity in the marking. The answers given in the Marking Scheme are suggested answers. The content is thus indicative. If a student has given any other answer which is different from the one given in the Marking Scheme, but conveys the meaning, such answers should be given full weightage
- 2. Evaluation is to be done as per instructions provided in the marking scheme. It should not be done according to one's own interpretation or any other consideration Marking Scheme should be strictly adhered to and religiously followed.
- 3. Alternative methods are accepted. Proportional marks are to be awarded.
- 4. If a candidate has attempted an extra question, marks obtained in the question attempted first should be retained and the other answer should be scored out.
- 5. A full scale of marks 0 to 90 has to be used. Please do not hesitate to award full marks if the answer deserves it.
- 6. Separate Marking Scheme for all the three sets has been given.
- 7. As per orders of the Hon'ble Supreme Court. The candidates would now be permitted to obtain photocopy of the Answer book on request on payment of the prescribed fee. All examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.

 $\frac{1}{2}$

 $\frac{1}{2}$

 $\frac{1}{2}$

 $\frac{1}{2}$

QUESTION PAPER CODE 30/1/1 **EXPECTED ANSWER/VALUE POINTS**

SECTION A



2.
$$\frac{2}{3}\pi r^3 = 3\pi r^2 \Rightarrow r = \frac{9}{2}$$
 units

$$\therefore$$
 d=9 units

Favourable outcomes are -1, 0, 13.

$$\therefore$$
 Required Probability = $\frac{3}{7}$

4.
$$\sqrt{(4-1)^2 + (k-0)^2} = 5$$

 $\Rightarrow k = \pm 4$

$$\frac{1}{2}$$

$$\Rightarrow$$
 k = ± 4

SECTION B

5.
$$\sqrt{2x^2 + 7x + 5\sqrt{2}} = 0$$

 $\Rightarrow \sqrt{2x^2 + 2x + 5x + 5\sqrt{2}} = 0$
 $\Rightarrow (\sqrt{2}x + 5)(x + \sqrt{2}) = 0$
 $\Rightarrow x = \frac{-5}{\sqrt{2}}, -\sqrt{2}$
or $\frac{-5\sqrt{2}}{2}, -\sqrt{2}$

30/1/1

(1)

Downloaded From :http://cbseportal.com/ cbseportal.co 30/1/1A.P. formed is 208, 216, 224, ..., 496 1 6. $a_n = 496$ $\frac{1}{2}$ $208 + (n-1) \times 8 = 496$ \Rightarrow $\frac{1}{2}$ n = 37 \Rightarrow 7. $\angle PAO = \angle OBS = 90^{\circ}$ 1 Р Q А But these are alternate interior angles 0 $PQ \parallel RS$ 1 S Ŕ В 8. $x^2 + k(2x + k - 1) + 2 = 0$ $\frac{1}{2}$ \Rightarrow $x^2 + 2kx + (k^2 - k + 2) = 0$ For equal roots, $b^2 - 4ac = 0$ $\Rightarrow 4k^2 - 4k^2 + 4k - 8 = 0$ 1 $\frac{1}{2}$ k = 2 \Rightarrow 9. 2 Correct construction PA = PC + CA = PC + CQ10. $12 = PC + 3 \Longrightarrow PC = 9 cm$ \Rightarrow 1 PD = 9 cm \therefore PC + PD = 18 cm 1 **SECTION C** $\frac{1}{2}$ 11. $a_m = \frac{1}{n} \implies a + (m-1)d = \frac{1}{n}$...(1)

$$a_n = \frac{1}{m} \implies a + (n-1)d = \frac{1}{m} \qquad ...(2)$$
 $\frac{1}{2}$

30/1/1

Courtesy : CBSE



Solving (1) and (2),
$$a = \frac{1}{mn}$$
 and $d = \frac{1}{mn}$
 $S_{mn} = \frac{mn}{2} \left[2 \times \frac{1}{mn} + (mn-1) \times \frac{1}{mn} \right]$
 $= \frac{1}{2} (mn+1)$
1
12. $S_n = \left(4 - \frac{1}{n}\right) + \left(4 - \frac{2}{n}\right) + \left(4 - \frac{3}{n}\right) + \dots$ upto n terms
 $= (4 + 4 + \dots + 4) - \frac{1}{n} (1 + 2 + 3 + \dots + n)$
 $= 4n - \frac{1}{n} \times \frac{n(n+1)}{2}$
 $= \frac{7n - 1}{2}$
13. $(1 + m^2)x^2 + 2mcx + c^2 - a^2 = 0$

For equal roots,
$$B^2 - 4AC = 0$$
 $\frac{1}{2}$

$$\Rightarrow 4m^2c^2 - 4(1+m^2)(c^2 - a^2) = 0$$
 1

$$\Rightarrow m^2 c^2 - c^2 - m^2 c^2 + a^2 + m^2 a^2 = 0$$
 1

$$\Rightarrow c^2 = a^2(1+m^2) \qquad \frac{1}{2}$$

14.
$$\frac{3}{4}$$
 × Volume of conical vessel = Volume of cylindrical vessel 1

Let the height of cylindrical vessel be h

$$\Rightarrow \quad \frac{3}{\cancel{4}} \times \frac{1}{3} \times \pi \times 5 \times 5 \times \cancel{24}^{6} = \pi \times 10 \times 10 \times h \qquad 1$$

$$\Rightarrow h = \frac{3}{2} \text{ cm or } 1.5 \text{ cm}$$

30/1/1

CBSE PORTAL www.cbseportal.com

1

Downloaded From :http://cbseportal.com/ 30/1/1



Area of shaded region = Area of quadrant OACB – Area of $\triangle ODB$

$$= \left(\frac{22}{7} \times \frac{3.5 \times 3.5}{4} - \frac{1}{2} \times 3.5 \times 2\right) \text{cm}^2$$
 1

$$=\frac{49}{8}$$
 or 6.125 cm²



Let $\angle OPQ = \theta$ $\Rightarrow \qquad \angle TPQ = 90^\circ - \theta = \angle TQP$ 1 $\angle TPQ + \angle TQP + \angle PTQ = 180^\circ$

$$\Rightarrow \qquad 90^{\circ} - \theta + 90^{\circ} - \theta + \angle PTQ = 180^{\circ} \qquad \qquad 1\frac{1}{2}$$

$$\Rightarrow \angle PTQ = 2\theta$$

$$= 2 \angle OPQ$$
 $\frac{1}{2}$

17. A(-2, 0), B(2, 0), C(0, 2)

AB = 4 units, BC = $2\sqrt{2}$ units, AC = $2\sqrt{2}$ units P(-4, 0), Q(4, 0), R(0, 4)

PQ = 8 units, QR =
$$4\sqrt{2}$$
 units, PR = $4\sqrt{2}$ units 1

$$\therefore \quad \frac{AB}{PQ} = \frac{BC}{QR} = \frac{AC}{PR} = \frac{1}{2}$$

 $\therefore \quad \Delta ABC \sim \Delta PQR$

A(2, 1)

18.

 $B(\overline{3, -2})$

 $ar(\Delta ABC) = 5$ sq.units

$$\Rightarrow \frac{1}{2} \left[2(-2-y) + 3(y-1) + \frac{7}{2}(1+2) \right] = 5 \qquad 1\frac{1}{2}$$

$$y + \frac{7}{2} = 10$$

$$\Rightarrow \qquad y = \frac{13}{2} \qquad \qquad \frac{1}{2}$$

 \Rightarrow

30/1/1

Downloaded From :http://cbseportal.com/

 $C\left(\frac{7}{2}, y\right)$

Courtesy : CBSE



- **19.** Total number of outcomes = 36
 - (i) Favourable outcomes are
 - (1, 1,) (1, 2) (1, 3) (1, 4) (1, 5) (2, 1) (2, 2) (2, 3) (2, 4) (3, 1) (3, 2) (3, 3) (4, 1) (4, 2) (5, 1) i.e., 15

:. P(sum less than 7) =
$$\frac{15}{36}$$
 or $\frac{5}{12}$ 1

- (ii) Favourable outcomes are
 - (1, 1) (1, 2) (1, 3) (1, 4) (1, 5) (1, 6) (2, 1) (2, 2) (2, 3)(2, 4) (2, 5) (2, 6) (3, 1) (3, 2) (3, 3) (3, 4) (3, 5) (4, 1)(4, 2) (4, 3) (5, 1) (5, 2) (5, 3) (6, 1) (6, 2) i.e., 25

$$P(\text{product less than 16}) = \frac{25}{36}$$

(iii) Favourable outcomes are

$$\therefore \quad P(\text{doublet of odd number}) = \frac{3}{36} \text{ or } \frac{1}{12}$$



30/1/1

SECTION D

- 21. Correct construction of given triangle 2 Correct construction of similar triangle 2 $\frac{1}{2} \times 4 = 2$
 - 22. Correct figure, given, to prove and construction

Correct proof

23.
$$\frac{S_m}{S_n} = \frac{m^2}{n^2} \implies \frac{\frac{m}{2}[2a + (m-1)d]}{\frac{n}{2}[2a + (n-1)d]} = \frac{m^2}{n^2}$$

$$\implies \frac{2a + (m-1)d}{2a + (n-1)d} = \frac{m}{n}$$
1
Solving we get d = 2a
$$\frac{a_m}{a_n} = \frac{a + (m-1)d}{a + (n-1)d} = \frac{a + (m-1) \times 2a}{a + (n-1) \times 2a}$$

$$= \frac{2m-1}{2n-1}$$
1
24. Let the speed of stream be x km/hr.
$$\therefore Speed of boat upstream = (15 - x) \text{ km/hr.}$$

$$\frac{1}{2}$$

Speed of boat downstream = (15 + x) km/hr.

$$\frac{30}{15-x} + \frac{30}{15+x} = 4\frac{1}{2} = \frac{9}{2}$$

$$\Rightarrow \frac{30(15 + x + 15 - x)}{(15 - x)(15 + x)} = \frac{9}{2}$$

$$\Rightarrow 200 = 225 - x^2$$

$$x = 5 (\text{Rejecting} - 5)$$
1

(6)

$$\therefore$$
 Speed of stream = 5 km/hr

1

 $\frac{1}{2}$

25. Area of traingle with vertices (a, a^2) , (b, b^2) and (0, 0) is

$$\frac{1}{2}|a(b^2) + b(-a^2) + 0|$$
2

$$= \frac{1}{2}ab(b-a) \neq 0 \text{ as } a \neq b \neq 0$$

: Given points are not collinear



$$\frac{5}{10} = \frac{r_1}{r_2}$$

$$r_2 = 2r_1$$
1

Ratio of volumes of two parts

 \Rightarrow

 $= \frac{\text{Volume of smaller cone}}{\text{Volume of frustum}}$

$$= \frac{\frac{1}{3}\pi \times r_{l}^{2} \times 5}{\frac{1}{3} \times \pi \times 5[r_{l}^{2} + r_{2}^{2} + r_{l}r_{2}]} = \frac{r_{l}^{2}}{r_{l}^{2} + 4r_{l}^{2} + 2r_{l}^{2}} \qquad 1\frac{1}{2} + 1$$
$$= \frac{1}{7} \qquad \frac{1}{2}$$

27. For Peter,

Total number of outcomes = 36

Favourable outcome is (5, 5)

$$\therefore \quad P(\text{Peter getting the number } 25) = \frac{1}{36} \qquad \qquad 1\frac{1}{2}$$

For Rina, Total number of outcomes = 6

Favourable outcome is 5.

$$\therefore$$
 P (Rina getting the number 25) = $\frac{1}{6}$

 \therefore Rina has the better chance

30/1/1

(7)

Downloaded From :http://cbseportal.com/

 $1\frac{1}{2}$

1

cbseportal.c



28. Area of minor segment

$$= \frac{22}{7} \times 10 \times 10 \times \frac{60^{1}}{360^{6}} - \frac{\sqrt{3}}{4} \times 10 \times 10$$

= $10 \times 10 \left[\frac{22}{7} \times \frac{1}{6} - \frac{\sqrt{3}}{4} \right]$
= $\frac{100}{84} (44 - 21\sqrt{3}) \text{ cm}^{2} \text{ or } \frac{25}{21} (44 - 21\sqrt{3}) \text{ cm}^{2}$ $2\frac{1}{2}$

Area of major segment

$$= \left[\frac{22}{7} \times 10 \times 10 - \frac{100}{84} (44 - 21\sqrt{3})\right] \text{cm}^2$$
$$= \frac{100}{84} (220 + 21\sqrt{3}) \text{ cm}^2 \quad \text{or} \quad \frac{25}{21} (220 + 21\sqrt{3}) \text{ cm}^2 \qquad 1\frac{1}{2}$$



(8)

$$\therefore$$
 height of cloud from surface of water = $(60 + 60)$ m = 120 m

30/1/1



 $1\frac{1}{2}$

1

1

30. Area of shaded region

= Area of square + Area of 2 major sectors.

$$= \left[28 \times 28 + 2 \times \frac{22}{7} \times 14 \times 14 \times \frac{270^{\circ}}{360^{\circ}} \right] \text{cm}^{2}$$
 $1\frac{1}{2}$

$$= 28 \times 28 \left(1 + \frac{33}{28} \right) = 1708 \,\mathrm{cm}^2$$

31. Volume of water in cylindrical tank.

= Volume of water in park.

$$\Rightarrow \frac{22}{7} \times 1 \times 1 \times 5 = 25 \times 20 \times h$$
, where h is the height of standing water. $1\frac{1}{2}$

Conservation of water or any other relevant value.

 $\frac{1}{2}$

QUESTION PAPER CODE 30/1/2 EXPECTED ANSWER/VALUE POINTS

SECTION A

Favourable outcomes are -1, 0, 1 1.

$$\therefore \quad \text{Required Probability} = \frac{3}{7} \qquad \qquad \frac{1}{2}$$

2.
$$\sqrt{(4-1)^2 + (k-0)^2} = 5$$
 $\frac{1}{2}$

$$\Rightarrow \quad \mathbf{k} = \pm 4 \qquad \qquad \frac{1}{2}$$



4.
$$\frac{2}{3}\pi r^3 = 3\pi r^2 \Rightarrow r = \frac{9}{2}$$
 units
 $\therefore \quad d = 9$ units $\frac{1}{2}$

$$\therefore$$
 d = 9 units

Ŕ

Bр

5.

θ<u>λ</u>C

А

0

В

SECTION B

Q

S



But these are alternate interior angles

 $PQ \parallel RS$ *.*.. 1

PA = PC + CA = PC + CQ6.

> - --

$$\Rightarrow 12 = PC + 3 \Rightarrow PC = 9 cm$$
$$PD = 9 cm$$

÷. PC + PD = 18 cm

30/1/2

1



1

1

Downloaded From :http://cbseportal.com/ 30/1/2

7.
$$\sqrt{2}x^{2} + 7x + 5\sqrt{2} = 0$$

$$\Rightarrow \quad \sqrt{2}x^{2} + 2x + 5x + 5\sqrt{2} = 0$$

$$\Rightarrow \quad (\sqrt{2}x + 5)(x + \sqrt{2}) = 0$$

$$\Rightarrow \quad x = \frac{-5}{\sqrt{2}}, -\sqrt{2}$$
or
$$\quad \frac{-5\sqrt{2}}{2}, -\sqrt{2}$$

8. A.P. formed is 208, 216, 224, ..., 496

$$a_n = 496$$

$$\Rightarrow \quad 208 + (n-1) \times 8 = 496 \qquad \qquad \frac{1}{2}$$

$$\Rightarrow$$
 n=37 $\frac{1}{2}$

9.
$$x^{2} + k(2x + k - 1) + 2 = 0$$

$$\Rightarrow x^{2} + 2kx + (k^{2} - k + 2) = 0$$

$$for equal roots, b^{2} - 4ac = 0$$

$$\Rightarrow 4k^{2} - 4k^{2} + 4k - 8 = 0$$

$$\Rightarrow k = 2$$

$$\frac{1}{2}$$

30/1/2

1

SECTION C



ar(△ABC) = 5 sq.units
⇒
$$\frac{1}{2} \left[2(-2-y) + 3(y-1) + \frac{7}{2}(1+2) \right] = 5$$
 $1\frac{1}{2}$

$$\Rightarrow \qquad y + \frac{7}{2} = 10 \qquad \qquad 1$$

$$\Rightarrow \qquad y = \frac{13}{2} \qquad \qquad \frac{1}{2}$$

AB = 4 units, BC = $2\sqrt{2}$ units, AC = $2\sqrt{2}$ units

$$P(-4, 0), Q(4, 0), R(0, 4)$$

PQ = 8 units, $QR = 4\sqrt{2}$ units, $PR = 4\sqrt{2}$ units

 $\therefore \quad \frac{AB}{PQ} = \frac{BC}{QR} = \frac{AC}{PR} = \frac{1}{2}$

$$\therefore \quad \Delta ABC \sim \Delta PQR$$

13. Total number of outcomes = 36

(i) Favourable outcomes are

(1, 1,) (1, 2) (1, 3) (1, 4) (1, 5) (2, 1) (2, 2) (2, 3) (2, 4) (3, 1) (3, 2) (3, 3) (4, 1) (4, 2) (5, 1) i.e., 15

:. P(sum less than 7) =
$$\frac{15}{36}$$
 or $\frac{5}{12}$ 1

(ii) Favourable outcomes are

(1, 1) (1, 2) (1, 3) (1, 4) (1, 5) (1, 6) (2, 1) (2, 2) (2, 3) (2, 4) (2, 5) (2, 6) (3, 1) (3, 2) (3, 3) (3, 4) (3, 5) (4, 1) (4, 2) (4, 3) (5, 1) (5, 2) (5, 3) (6, 1) (6, 2) i.e., 25



Downloaded From :http://cbseportal.com/ 30/1/2

P(product less than 16) =
$$\frac{25}{36}$$

(iii) Favourable outcomes are

$$\therefore \quad P(\text{doublet of odd number}) = \frac{3}{36} \text{ or } \frac{1}{12}$$

14.

$$T \xrightarrow{P} Uet \angle OPQ = \theta$$

$$\Rightarrow \angle TPQ = 90^{\circ} - \theta = \angle TQP$$

$$\angle TPQ + \angle TQP + \angle PTQ = 180^{\circ}$$

$$\Rightarrow 90^{\circ} - \theta + 90^{\circ} - \theta + \angle PTQ = 180^{\circ}$$

$$1\frac{1}{2}$$

- -

$$\Rightarrow \qquad \angle PTQ = 2\theta$$

$$= 2 \angle OPQ$$
 $\frac{1}{2}$

15.
$$S_n = \left(4 - \frac{1}{n}\right) + \left(4 - \frac{2}{n}\right) + \left(4 - \frac{3}{n}\right) + \dots$$
 upto n terms
 $= \left(4 + 4 + \dots + 4\right) - \frac{1}{n}\left(1 + 2 + 3 + \dots + n\right)$ 1
 $= 4n - \frac{1}{n} \times \frac{n(n+1)}{2}$ $\frac{1}{2} + 1$
 $= \frac{7n - 1}{2}$ $\frac{1}{2}$
16. $(1 + m^2)x^2 + 2mcx + c^2 - a^2 = 0$

For equal roots,
$$B^2 - 4AC = 0$$
 $\frac{1}{2}$

$$\Rightarrow 4m^2c^2 - 4(1+m^2)(c^2 - a^2) = 0$$
 1

$$\Rightarrow m^2 c^2 - c^2 - m^2 c^2 + a^2 + m^2 a^2 = 0$$

$$\Rightarrow c^2 = a^2(1+m^2) \qquad \frac{1}{2}$$

30/1/2



Area of shaded region = Area of quadrant OACB – Area of $\triangle ODB$ 1

$$= \left(\frac{22}{7} \times \frac{3.5 \times 3.5}{4} - \frac{1}{2} \times 3.5 \times 2\right) \text{cm}^2$$
 1

$$=\frac{49}{8}$$
 or 6.125 cm²

18.
$$a_m = \frac{1}{n} \implies a + (m-1)d = \frac{1}{n}$$
 ...(1) $\frac{1}{2}$

$$a_n = \frac{1}{n} \implies a + (n-1)d = \frac{1}{m} \qquad ...(2)$$
 $\frac{1}{2}$

Solving (1) and (2) we get,
$$a = \frac{1}{mn}$$
, $d = \frac{1}{mn}$

$$a_{mn} = a + (mn - 1)d$$

$$=\frac{1}{mn} + (mn-1) \times \frac{1}{mn} = 1$$
 1

19. Let the number of cones be n

Volume of solid sphere = Volume of n solid cones

$$\Rightarrow \quad \frac{4}{3}\pi \times 10.5 \times 10.5 \times 10.5 = n \times \frac{1}{3} \times \pi \times 3.5 \times 3.5 \times 3$$

$$\Rightarrow n = \frac{4 \times 10.5 \times 10.5 \times 10.5}{3.5 \times 3.5 \times 3}$$

(14)



$$= 7(\sqrt{3}+1) \,\mathrm{m} \qquad \qquad \frac{1}{2}$$

SECTION D

21. Volume of water in cylindrical tank.

= Volume of water in park.

$$\Rightarrow \frac{22}{7} \times 1 \times 1 \times 5 = 25 \times 20 \times h$$
, where h is the height of standing water. 1

Conservation of water or any other relevant value.

22. Area of shaded region

= Area of square + Area of 2 major sectors.
$$1\frac{1}{2}$$

$$= \left[28 \times 28 + 2 \times \frac{22}{7} \times 14 \times 14 \times \frac{270^{\circ}}{360^{\circ}} \right] \text{cm}^{2} \qquad 1\frac{1}{2}$$

$$= 28 \times 28 \left(1 + \frac{33}{28} \right) = 1708 \,\mathrm{cm}^2$$

30/1/2

Downloaded From :http://cbseportal.com/

cbseportal.com

1

 $\frac{1}{2}$



 $1\frac{1}{2}$

1

23. For Peter,

Total number of outcomes = 36

Favourable outcome is (5, 5)

$$\therefore \quad P(\text{Peter getting the number } 25) = \frac{1}{36} \qquad \qquad 1\frac{1}{2}$$

For Rina, Total number of outcomes = 6

Favourable outcome is 5.

$$\therefore$$
 P (Rina getting the number 25) = $\frac{1}{6}$

- \therefore Rina has the better chance
- 24. Area of minor segment

$$= \frac{22}{7} \times 10 \times 10 \times \frac{60^{1}}{360^{6}} - \frac{\sqrt{3}}{4} \times 10 \times 10$$

= $10 \times 10 \left[\frac{22}{7} \times \frac{1}{6} - \frac{\sqrt{3}}{4} \right]$
= $\frac{100}{84} (44 - 21\sqrt{3}) \text{ cm}^{2} \text{ or } \frac{25}{21} (44 - 21\sqrt{3}) \text{ cm}^{2}$ $2\frac{1}{2}$

Area of major segment

$$= \left[\frac{22}{7} \times 10 \times 10 - \frac{100}{84} (44 - 21\sqrt{3})\right] \text{cm}^2$$
$$= \frac{100}{84} (220 + 21\sqrt{3}) \text{ cm}^2 \quad \text{or} \quad \frac{25}{21} (220 + 21\sqrt{3}) \text{ cm}^2 \qquad 1\frac{1}{2}$$

(16)

Correct proof

30/1/2

 $\frac{1}{2} \times 4 = 2$

CBSE PORTA

 $\frac{1}{2}$

 $\frac{1}{2}$

1

1

2

2

Downloaded From :http://cbseportal.com/ 30/1/2

- **26.** Let the speed of stream be x km/hr.
 - \therefore Speed of boat upstream = (15 x) km/hr.

Speed of boat downstream = (15 + x) km/hr.

$$\frac{30}{15-x} + \frac{30}{15+x} = 4\frac{1}{2} = \frac{9}{2}$$

$$\Rightarrow \quad \frac{30(15 + x + 15 - x)}{(15 - x)(15 + x)} = \frac{9}{2}$$

$$\Rightarrow 200 = 225 - x^2$$

$$x = 5$$
 (Rejecting - 5)

$$\therefore$$
 Speed of stream = 5 km/hr

27. Area of traingle with vertices (a, a^2) , (b, b^2) and (0, 0) is

$$\frac{1}{2}|a(b^2) + b(-a^2) + 0|$$
2

$$= \frac{1}{2}ab(b-a) \neq 0 \quad \text{as} \quad a \neq b \neq 0$$

- \therefore Given points are not collinear
- **28.** Correct construction of given right triangle

Corect construction of similar triangle

29.
$$S_m = S_n \implies \frac{m}{2} [2a + (m-1)d] = \frac{n}{2} [2a + (n-1)d]$$
 1

$$\Rightarrow 2a(m-n) = -d(m+n-1)(m-n)$$

$$\Rightarrow 2a + d(m+n-1) = 0$$

$$S_{m+n} = \frac{m+n}{2} [2a + d(m+n-1)] = 0$$
1

30/1/2

CBSE PORTAL www.cbseportal.com





 $\Delta ABC \sim \Delta APQ$ $\Rightarrow \qquad \frac{h}{30} = \frac{r_1}{r_2} \qquad \dots (i) \qquad 1$

Volume of smaller cone

 $=\frac{1}{27}$ × Volume of larger cone

$$\Rightarrow \qquad \frac{1}{3}\pi r_1^2 \times h = \frac{1}{27} \times \frac{1}{3}\pi r_2^2 \times 30 \qquad \qquad 1$$

$$\Rightarrow \qquad \left(\frac{\mathbf{r}_1}{\mathbf{r}_2}\right)^2 \times \frac{\mathbf{h}}{30} = \frac{1}{27}$$

$$\Rightarrow \qquad \left(\frac{h}{30}\right)^3 = \frac{1}{27} \qquad (using (i)) \qquad 1$$

$$\Rightarrow$$
 h = 10 cm $\frac{1}{2}$

 $\therefore \qquad \text{Required height} = (30 - 10) \text{ cm} = 20 \text{ cm} \qquad \frac{1}{2}$

. . .

30/1/2



QUESTION PAPER CODE 30/1/3 EXPECTED ANSWER/VALUE POINTS

SECTION A

1.	$\sqrt{(4-1)^2 + (k-0)^2} = 5$	$\frac{1}{2}$
	\Rightarrow k = ± 4	$\frac{1}{2}$
2.	$\tan \theta = \frac{AB}{BC} =$	$\frac{\sqrt{3}}{1}$ $\frac{1}{2}$
	$B \xrightarrow{\theta} C \qquad \Rightarrow \qquad \theta = 60^{\circ}$	$\frac{1}{2}$
3.	3. $\frac{2}{3}\pi r^3 = 3\pi r^2 \Rightarrow r = \frac{9}{2}$ units	$\frac{1}{2}$
	\therefore d=9 units	$\frac{1}{2}$
4.	Favourable outcomes are $-1, 0, 1$	$\frac{1}{2}$
	$\therefore \text{Required Probability} = \frac{3}{7}$	$\frac{1}{2}$
	SECTION B	
5.	$\mathbf{S}. \mathbf{P}\mathbf{A} = \mathbf{P}\mathbf{C} + \mathbf{C}\mathbf{A} = \mathbf{P}\mathbf{C} + \mathbf{C}\mathbf{Q}$	
	\Rightarrow 12 = PC + 3 \Rightarrow PC = 9 cm	1
	PD = 9 cm	
	$\therefore PC + PD = 18 \text{ cm}$	1

Correct construction

6.

Downloaded From :http://cbseportal.com/

CBSE w.cbseportal.com

1

1

1

Downloaded From :http://cbseportal.com/ 30/1/3

7.
$$\sqrt{2x^2 + 7x + 5\sqrt{2}} = 0$$

$$\Rightarrow \quad \sqrt{2x^2 + 2x + 5x + 5\sqrt{2}} = 0$$

$$\Rightarrow \quad (\sqrt{2}x + 5)(x + \sqrt{2}) = 0$$

$$\Rightarrow \quad x = \frac{-5}{\sqrt{2}}, -\sqrt{2}$$

or
$$\frac{-5\sqrt{2}}{2}, -\sqrt{2}$$

A.P. formed is 208, 216, 224, ..., 496 8.

$$a_n = 496$$

 $\Rightarrow 208 + (n-1) \times 8 = 496$

$$\Rightarrow 208 + (n-1) \times 8 = 496 \qquad \qquad \frac{1}{2}$$
$$\Rightarrow n = 37 \qquad \qquad \frac{1}{2}$$

9.
$$x^{2} + k(2x + k - 1) + 2 = 0$$

$$\Rightarrow x^{2} + 2kx + (k^{2} - k + 2) = 0$$

For equal roots,
$$b^{2} - 4ac = 0$$

$$\Rightarrow 4k^{2} - 4k^{2} + 4k - 8 = 0$$

$$\Rightarrow k = 2$$



$$\Rightarrow AB = CD \frac{1}{2}$$

30/1/3

 $\frac{1}{2}$

 $\frac{1}{2}$

 $\frac{1}{2}$

$$\Rightarrow k=2$$

(20)

SECTION C

- 11. Total number of outcomes = 36
 - (i) Favourable outcomes are
 - (1, 1,) (1, 2) (1, 3) (1, 4) (1, 5) (2, 1) (2, 2) (2, 3)
 - (2, 4) (3, 1) (3, 2) (3, 3) (4, 1) (4, 2) (5, 1) i.e., 15

$$\therefore \quad P(\text{sum less than 7}) = \frac{15}{36} \text{ or } \frac{5}{12}$$

- (ii) Favourable outcomes are
 - (1, 1) (1, 2) (1, 3) (1, 4) (1, 5) (1, 6) (2, 1) (2, 2) (2, 3)(2, 4) (2, 5) (2, 6) (3, 1) (3, 2) (3, 3) (3, 4) (3, 5) (4, 1) (4, 2) (4, 3) (5, 1) (5, 2) (5, 3) (6, 1) (6, 2) i.e., 25 P(product less than 16) = $\frac{25}{36}$ 1
- (iii) Favourable outcomes are

$$\therefore \quad P(\text{doublet of odd number}) = \frac{3}{36} \text{ or } \frac{1}{12}$$



$$= 2 \angle OPQ$$
 $\frac{1}{2}$



 \Rightarrow

 \Rightarrow

$$y + \frac{7}{2} = 10$$

$$y = \frac{13}{2} \qquad \qquad \frac{1}{2}$$

30/1/3

B(3, -2)

(21)

Downloaded From :http://cbseportal.com/

 $C\left(\frac{7}{2}, y\right)$



 $\frac{1}{2}$ +1

 $\frac{1}{2}$

Downloaded From :http://cbseportal.com/ 30/1/3

14.
$$S_n = \left(4 - \frac{1}{n}\right) + \left(4 - \frac{2}{n}\right) + \left(4 - \frac{3}{n}\right) + \dots$$
 upto n terms

$$= \left(4 + 4 + \dots + 4\right) - \frac{1}{n}\left(1 + 2 + 3 + \dots + n\right)$$

$$= 4n - \frac{1}{n} \times \frac{n(n+1)}{2}$$

$$= \frac{7n - 1}{2}$$
15. $A(-2, 0), B(2, 0), C(0, 2)$

AB = 4 units, BC =
$$2\sqrt{2}$$
 units, AC = $2\sqrt{2}$ units
P(-4, 0), Q(4, 0), R(0, 4)

$$PQ = 8$$
 units, $QR = 4\sqrt{2}$ units, $PR = 4\sqrt{2}$ units 1

$$\therefore \quad \frac{AB}{PQ} = \frac{BC}{QR} = \frac{AC}{PR} = \frac{1}{2}$$

$$\therefore \quad \Delta ABC \sim \Delta PQR$$

16. A D D C C B Area of shaded region = Area of quadrant OACB - Area of $\triangle ODB$ 1 $= \left(\frac{22}{7} \times \frac{3.5 \times 3.5}{4} - \frac{1}{2} \times 3.5 \times 2\right) \text{ cm}^2$ $= \frac{49}{8} \text{ or } 6.125 \text{ cm}^2$ 1

17. $(1+m^2)x^2 + 2mcx + c^2 - a^2 = 0$

For equal roots, $B^2 - 4AC = 0$ $\frac{1}{2}$

$$\Rightarrow 4m^2c^2 - 4(1+m^2)(c^2 - a^2) = 0$$
 1

$$\Rightarrow m^2 c^2 - c^2 - m^2 c^2 + a^2 + m^2 a^2 = 0$$

$$\Rightarrow c^2 = a^2(1+m^2) \qquad \frac{1}{2}$$

Downloaded From :http://cbseportal.com/

Courtesy : CBSE

18.
$$a_p = q \implies a + (p-1)d = q$$
 ...(1)

$$a_q = p \Longrightarrow a + (q-1)d = p$$
 ...(2) $\frac{1}{2}$

Solving (1) and (2) we get, a = p + q - 1, d = -1

$$a_n = a + (n - 1)d$$

= $(p + q - 1) + (n - 1) (-1)$
= $p + q - n$ 1

19. Let the number of cones be n

Volume of sphere = Volume of n cones

$$\Rightarrow \quad \frac{4}{3}\pi \times 8 \times 8 \times 8 = n \times \frac{1}{3} \times \pi \times 4 \times 4 \times 8$$

$$\Rightarrow \quad n = \frac{4 \times 8 \times 8 \times 8}{4 \times 4 \times 8}$$
1

20.

 $\frac{1}{2}$ Figure A $\frac{50}{x} = \tan 30^\circ$ D $x = 50\sqrt{3}$ h 1 \Rightarrow 50 m $\frac{h}{x} = \tan 60^\circ$ 30° 60° В С х $h = 50\sqrt{3} \times \sqrt{3} = 150$ \Rightarrow 1

$$\therefore$$
 Height of hill=150 m $\frac{1}{2}$

(23)

Downloaded From :http://cbseportal.com/

cbseportal.com

 $\frac{1}{2}$

1

1



 $\frac{1}{2}$

 $1\frac{1}{2}$

1

SECTION D

21. Area of shaded region

$$= \left[28 \times 28 + 2 \times \frac{22}{7} \times 14 \times 14 \times \frac{270^{\circ}}{360^{\circ}} \right] \text{cm}^{2}$$
 $1\frac{1}{2}$

$$= 28 \times 28 \left(1 + \frac{33}{28} \right) = 1708 \,\mathrm{cm}^2$$

22. Volume of water in cylindrical tank.

$$\Rightarrow \frac{22}{7} \times 1 \times 1 \times 5 = 25 \times 20 \times h$$
, where h is the height of standing water.

Conservation of water or any other relevant value.

23. Area of minor segment

$$= \frac{22}{7} \times 10 \times 10 \times \frac{60^{1}}{360^{6}} - \frac{\sqrt{3}}{4} \times 10 \times 10$$

= $10 \times 10 \left[\frac{22}{7} \times \frac{1}{6} - \frac{\sqrt{3}}{4} \right]$
= $\frac{100}{84} (44 - 21\sqrt{3}) \text{ cm}^{2} \text{ or } \frac{25}{21} (44 - 21\sqrt{3}) \text{ cm}^{2}$ $2\frac{1}{2}$

Area of major segment

$$= \left[\frac{22}{7} \times 10 \times 10 - \frac{100}{84} (44 - 21\sqrt{3})\right] \text{cm}^2$$
$$= \frac{100}{84} (220 + 21\sqrt{3}) \text{ cm}^2 \quad \text{or} \quad \frac{25}{21} (220 + 21\sqrt{3}) \text{ cm}^2 \qquad 1\frac{1}{2}$$

2

 $\frac{1}{2}$

1

 $\overline{2}$

1

 $\frac{1}{2} \times 4 = 2$

24. For Peter,

Total number of outcomes = 36

Favourable outcome is (5, 5)

$\therefore P(\text{Peter getting the number } 25) = \frac{1}{36}$	$1\frac{1}{2}$
---	----------------

For Rina, Total number of outcomes = 6

Favourable outcome is 5.

$$\therefore \quad P(\text{Rina getting the number } 25) = \frac{1}{6} \qquad \qquad 1\frac{1}{2}$$

$$\therefore$$
 Rina has the better chance

25. Correct figure, given, to prove and construction

Correct proof

- **26.** Let the speed of stream be x km/hr.
 - \therefore Speed of boat upstream = (15 x) km/hr.

Speed of boat downstream = (15 + x) km/hr.

$$\frac{30}{15-x} + \frac{30}{15+x} = 4\frac{1}{2} = \frac{9}{2}$$

$$\Rightarrow \quad \frac{30(15+x+15-x)}{(15-x)(15+x)} = \frac{9}{2}$$

$$\Rightarrow 200 = 225 - x^2$$

$$x = 5$$
 (Rejecting - 5)

 \therefore Speed of stream = 5 km/hr

27. Area of traingle with vertices
$$(a, a^2)$$
, (b, b^2) and $(0, 0)$ is

$$\frac{1}{2}|a(b^2) + b(-a^2) + 0|$$
2

30/1/3

$$= \frac{1}{2}ab(b-a) \neq 0 \text{ as } a \neq b \neq 0$$

- : Given points are not collinear
- **28.** Correct construction of $\triangle ABC$

Correct construction of similar triangle

29.
$$a_p = \frac{1}{q} \implies a + (p-1)d = \frac{1}{q} \qquad ...(1)$$

$$a_q = \frac{1}{p} \implies a + (q-1)d = \frac{1}{p} \qquad ...(2)$$

Solving (1) and (2) we get,
$$a = \frac{1}{pq}, d = \frac{1}{pq}$$
 1

$$S_{pq} = \frac{pq}{2} \left[2 \times \frac{1}{pq} + (pq-1) \times \frac{1}{pq} \right]$$
$$= \frac{(pq+1)}{2}$$
1





Figure 1

v.cbseportal.com

2

2

$$\frac{h}{x} = \tan 45^{\circ}$$

$$\Rightarrow \quad h = x \qquad 1$$

$$\frac{h}{x + 20} = \tan 30^{\circ}$$

$$\Rightarrow \quad h\sqrt{3} = x + 20$$

$$\Rightarrow \quad h\sqrt{3} = h + 20 \qquad 1$$

$$\Rightarrow \quad h = \frac{20}{\sqrt{3} - 1} \qquad 1$$
or
$$10(\sqrt{3} + 1) \qquad 1$$

 \therefore Height of tower = $10(\sqrt{3}+1)$ m

30/1/3

Courtesy : CBSE



1



 $\Delta ABC \sim \Delta APQ$

$$\Rightarrow \qquad \frac{h}{2h} = \frac{r_1}{10}$$

 \Rightarrow

 $r_1 = 5 \text{ cm}$

Volume of smaller cone

$$=\frac{1}{3}\pi(5)^2 \times h$$

Volume of frustum

$$= \frac{1}{2}\pi \times h (5^{2} + 10^{2} + 5 \times 10)$$
$$= \frac{1}{3}\pi \times h \times 175$$
 $1\frac{1}{2}$

Required ratio =
$$\frac{\frac{1}{3} \times \pi \times 25 \times h}{\frac{1}{3} \times \pi \times h \times 175} = \frac{1}{7}$$
 $\frac{1}{2}$