Downloaded From : http://cbseportal.com/

## **MARKING SCHEME**

## Subject: Information and Communication Technology (ICT) Class: X (2017-18)

Time: 2 ½ Hrs. M.M.:40

## **General Instructions:**

- (i) The sample question paper consists of 16 questions.
- (ii) All questions are compulsory; however internal choice has been given in few questions.

1.	Multiple choice questions	5
	a. Which of the following is not an input device?	
	i) Scanner	
	ii) Microphone	
	iii) Speaker	
	iv) Trackball	
	Ans: iii) Speaker	
	• 1 mark for the correct answer.	
	b acts as the nerve centre that sends control signal to all other	
	units.	
	i) Control Unit	
	ii) Software	
	iii) ALU	
	iv) Memory	
	Ans: i) Control Unit	
	• 1 mark for the correct answer.	
	c. Random Access Memory and Read Only Memory are examples of	
	i) AuxiliaryMemory	
	ii) Primary Memory	
	iii) Secondary Memory	
	iv) Both primary and secondary memory	
	Ans: ii) Primary Memory	
	• 1 mark for the correct answer.	
	d. GIMP, Adobe Photoshop, Corel Draw, and Picasa are examples of	
	softwares.	
	i) Spreadsheets	
	ii) Word Processors	
	iii) Desktop publishing	
	iv) Presentation	
	Ans: iii) Desktop Publishing	
	• 1 mark for the correct answer.	


	e. It allows a visited website to store its own information about a user on the user's	
	computer.	
	i) Spam	
	ii) Malware	
	iii) Cookies	
	iv) Adware	
	Ans: iii) Cookies	
	1 mark for the correct answer.	
	T Mark for the correct answer.	
2.	Aayush wants to send highly sensitive form data such as username and password	1
_,	which method out of GET/POST should he use to send the form data? Why?	
Ans:	POST METHOD	
7 1115.	❖ Appends form-data inside the body of the HTTP request (data is not shown in	
	URL)	
	❖ Form submissions with POST cannot be bookmarked	
	• ½ mark for correct Method.	
	• ½ mark for any one correct reason.	
3.	Define Shareware.	1
Ans:	Shareware is a proprietary software which is initially provided free of charges to users	
	for a limited period on a trial basis, if the user decides to use it after the trial period he	
	/she needs to pay for it.	
	• 1 mark for the correct definition.	
4.	Identify the tools used for the following purpose:	1
	a. To lighten the colours in an image.	
	b. To shift one part of an image, a layer, a selection or a path to a direction and the	
	other part to the opposite direction.	
Ans:	a. Dodge tool	
	b. Shear tool	
	• ½ mark for each correct answer.	
5.	What is the significance of System Software?	1
Ans:	System software includes the programs that enable the computer's hardware to work	
	with and run the application software.	
	Or	
	System software is the interface between user, other programs and the computer's	
	hardware.	
	1 mark for the correct answer.	
6.	What does Open-source in Open- Source software mean?	1
Ans:	Open-source software (OSS) is computer software with its source code made	<u> </u>
ı 1113.	available. It is very often developed in a public, collaborative manner. A license for	
	open sources software allows the end user to study, change and distribute the software	
	for any purpose hence it is termed as Open Source.	
	• 1 mark for the correct explanation.	


7.	Name any four tools used for Retouching a	n image in GIMP.	2
Ans:	a. Scale Tool		
	b. Blur/Sharpen Tool		
	c. Brush & Pencil Tool		
	d. Eraser Tool		
	e. Blend Tool		
	f. Smudge		
	g. Dodge / Burn Tool		
	• ½ mark each for writing any 4 tool	s from the above.	
8.	Write any four exclusive rights that a copy	right owner possesses?	2
Ans:	<ul> <li>Fix or store the information in a tar</li> </ul>	ngible form.	
	<ul> <li>Reproduce the copyrighted materia</li> </ul>	ıl.	
	<ul> <li>Sell, rent, lease, or otherwise distribute copies of the copyright work to the public.</li> </ul>		
	<ul> <li>Publicly perform and display the co</li> </ul>	opyrighted material.	
	<ul> <li>Prepare derivative works based on the copyrighted material.</li> </ul>		
	l *	y 4 exclusive rights from the above.	
		OR	
8.	What is a firewall?		2
	A firewall is a program or hardware device that filters the information coming through an internet connection to a network or computer system. If incoming information does not pass the rules stored in the firewall, it is not allowed through.  • 1 mark for identifying firewall as a program or hardware device  • 1 Mark for the correct definition		
9.	Differentiate between Blur and Sharpen too	ol.	2
Ans:	Blur Tool	Sharpen Tool	
	Blur mode causes each pixel affected by	Sharpen mode causes each pixel to	
	the brush to be blended with	become more different from its	
	neighbouring pixels, thereby increasing	neighbours, it increases contrast inside	
	the similarity of pixels inside the	the brushstroke area.	
	brushstroke area.		
	Blurring can be useful to soften some	In "Sharpen" mode, the tool works by	
	element of the image that stands out too	increasing the contrast where the brush	
	much.	is applied.	
	• 1 mark each for 2 correct point of d	ifferences.	
10.	Write the CSS code to:		2
	i. Apply 50px indentation to all text paragra	aphs marked with .	
	ii. Make the text in the paragraphs marked		

Downloaded From : http://cbseportal.com/ Courtesy : CBSE

Ans:	(	
	p {	
	text-indent: 50px;	
	font-style: italic;	
	}	
ļ	• 1 mark for correctly applying text – indent.	
ļ	• 1 mark for applying font -style italic	
	<ul> <li>Deduct ½ mark if p { } not used correctly.</li> </ul>	
	OR	
10.	List the advantages of using CSS.	2
Ans:	❖ It controls layout of many documents from one single style sheet.	
ļ	❖ It has more precise control of layout.	
	❖ It applies different layouts to different media-types.	
ļ	❖ It has numerous advanced and sophisticated techniques to be applied on web	
ļ	pages.	
11.	Explain the various values associated with "scrolling" attribute of FRAME tag.	3
Ans:	The scrolling attribute of FRAME tag can take 3 values:	3
Alls.		
ļ	• Yes will insert both the scrolls irrespective of the size of the sub-window.	
ļ	• <b>Auto</b> will insert the scrolls only when the contents of the sub-window are not	
ļ	visible.	
	• No will not insert any scrolls even when all the contents are not visible.	
	<ul> <li>1 mark for explaining each value.</li> </ul>	
12.	Observe the following code carefully and answer the questions that follow:	3
12.	Sobserve the following code carefully and answer the questions that follow: <html></html>	3
	<head></head>	
	<title>NETWORK SECURITY</title>	
	<style type="text/css"></td><td></td></tr><tr><td></td><td><style type="text/css"> li {</td><td></td></tr><tr><td></td><td><style type="text/css"> li { letter-spacing:10px;</td><td></td></tr><tr><td></td><td><style type="text/css"> li { letter-spacing:10px; text-transform: lowercase;</td><td></td></tr><tr><td></td><td><style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; }</td><td></td></tr><tr><td></td><td><style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>	
	<style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>	
	<style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style> <body> The Dos and Don'ts of network security</body>	
	<style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style> <body> The Dos and Don'ts of network security <ol></ol></body>	
	<style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style> <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> </ol></body>	
	<pre><style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> </ol></body></pre>	
	<pre><style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> <li>RUN AN ANTI-VIRUS SCAN REGULARLY.</li> </ol></body></pre>	
	<pre> <style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> <li>RUN AN ANTI-VIRUS SCAN REGULARLY.</li> </ol></body></pre>	
	<pre> <style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> <li>RUN AN ANTI-VIRUS SCAN REGULARLY.</li> </ol> </body></pre> <p< td=""><td></td></p<>	
	<pre> <style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> <li>RUN AN ANTI-VIRUS SCAN REGULARLY.</li> </ol> </body></pre> <p< td=""><td></td></p<>	
	<pre> <style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> <li>RUN AN ANTI-VIRUS SCAN REGULARLY.</li> </ol> </body></pre> <pre> </pre> <	
	<pre> <style type="text/css"> li { letter-spacing:10px; text-transform: lowercase; } </style>  <body> The Dos and Don'ts of network security <ol> <li>KEEP ANTI-VIRUS SOFTWARE UP TO DATE.</li> <li>SAVE THE FILE TO COMPUTER OR A DISK.</li> <li>RUN AN ANTI-VIRUS SCAN REGULARLY.</li> </ol> </body></pre> <p< td=""><td></td></p<>	

The output of the above code will be:	
The Dos and Don'ts of network security	
1.keep anti-virus software up to date. 2.save the file to computer or a disk. 3.run an anti-virus scan regularly.	
As per the output it is evident that the list elements specified as li have been displayed in Lower case due to: text-transform: lowercase; Also, there is a space of 10 pixels between each letter due to: letter-spacing:10px;	
<ul> <li>1 mark for displaying output as an ordered list i.e. 15.</li> <li>1 mark for applying both effects.</li> <li>1 mark for explaining both the statement.</li> </ul>	
Body { background-image: url("learn.gif"); background-repeat: repeat-x}	3
In reference with the above CSS code, explain the usage of background-repeat property. Also mention the different values that can be used for background-repeat.	
With reference to the above CSS code the inserted background image learn.gif will repeat horizontally on the browser screen.  The four different values for background-repeat are as follows:  Value  Description  background-repeat: repeat-x: The image is repeated horizontally.  background-repeat: repeat : The image is repeated vertically.  background-repeat: repeat : The image is repeated both horizontally and vertically  background-repeat: no-repeat: The image is not repeated  • 1 mark for explaining the background-repeat with reference to the code given.  • ½ mark each for explaining all values.	
OR	
List any 3 items that can be created using DHTML.  DHTML can be used to create the following:  • Animation  • Pop-up menus  • Inclusion of Web page content from external data sources  • Elements that can be dragged and dropped within the Web page  • 1 Mark for any 3 correct items that can be created using DHTML	3
	The Dos and Don'ts of network security  1. k e e p anti-virus software up to date. 2. save the file to computer or a disk. 3. run an anti-virus scan regularly.  As per the output it is evident that the list elements specified as li have been displayed in Lower case due to: text-transform: lowercase; Also, there is a space of 10 pixels between each letter due to: letter-spacing:10px;  1 mark for displaying output as an ordered listie. 15. 1 mark for applying both effects. 1 mark for explaining both the statement.  Body { background-image: url("learn.gif"); background-repeat: repeat-x}  In reference with the above CSS code, explain the usage of background-repeat property. Also mention the different values that can be used for background-repeat.  With reference to the above CSS code the inserted background image learn.gif will repeat horizontally on the browser screen.  The four different values for background-repeat are as follows: Value Description background-repeat: repeat-x: The image is repeated horizontally, background-repeat: repeat: The image is repeated vertically. background-repeat: repeat: The image is repeated both horizontally and vertically background-repeat: no-repeat: The image is repeated 1 mark for explaining the background-repeat with reference to the code given.  Wanak each for explaining all values.  OR  List any 3 items that can be created using DHTML.  DHTML can be used to create the following: Animation Pop-up menus Inclusion of Web page content from external data sources Inclusion of Web page content from external data sources





1 mark for correct difference     1 mark for only correctly identifying the labeled elements.  e. To highlight one item in a dropdown box , "selected" clause is used in the <option> tag as follows:     <option selected=""> Eg:     <select>     option&gt;SINGAPORE</select></option> <option>MALAYSIA</option>       1 mark for writing the correct method to highlight one item or for demonstrating using an example.  Or  15. Carefully read and answer the following questions with respect to HTML:</option>		checkbox allows for multiple selections of items.	
• ½ mark for only correctly identifying the labeled elements.  e. To highlight one item in a dropdown box , "selected" clause is used in the <option> tag as follows:     <ul> <li>option selected&gt;</li> <li>Eg:</li> <li>select&gt;</li> <li>option&gt;SINGAPORE</li></ul></option> <li>option&gt;MALAYSIA</li> <li>option&gt;MALAYSIA</li> <li>i mark for writing the correct method to highlight one item or for demonstrating using an example.</li> <li>Or         <ul> <li>(a carefully read and answer the following questions with respect to HTML:                 <ul> <li>i. What is a Form?</li> <li>ii. What does a Form consist of?</li> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> <li>A Form is an object that is used for collecting data from the user.</li></ul></li></ul></li>			
• ½ mark for only correctly identifying the labeled elements.  e. To highlight one item in a dropdown box , "selected" clause is used in the <option> tag as follows:     <ul> <li>option selected&gt;</li> <li>Eg:</li> <li>select&gt;</li> <li>option&gt;SINGAPORE</li></ul></option> <li>option&gt;MALAYSIA</li> <li>option&gt;MALAYSIA</li> <li>i mark for writing the correct method to highlight one item or for demonstrating using an example.</li> <li>Or         <ul> <li>(a carefully read and answer the following questions with respect to HTML:                 <ul> <li>i. What is a Form?</li> <li>ii. What does a Form consist of?</li> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> <li>A Form is an object that is used for collecting data from the user.</li></ul></li></ul></li>		a 1 months for comment difference	
e. To highlight one item in a dropdown box , "selected" clause is used in the <option> tag as follows:    <option selected="">         Eg:         <select> <option>SINGAPORE</option> <option>SINGAPORE</option> <option>MALAYSIA</option> <option>MALAYSIA</option> <iselect>             • 1 mark for writing the correct method to highlight one item or for demonstrating using an example.</iselect></select></option></option>		• I mark for correct difference	
tag as follows:		• ½ mark for only correctly identifying the labeled elements.	
Eg: <pre></pre>		tag as follows:	
<ul> <li><select></select></li> <li><option>SINGAPORE</option></li> <li><option selected="">JAPAN</option></li> <li><option selected="">JAPAN</option></li> <li><select></select></li> <li>I mark for writing the correct method to highlight one item or for demonstrating using an example.</li> <li>Carefully read and answer the following questions with respect to HTML:         <ol> <li>What is a Form?</li> <li>What does a Form consist of?</li> <li>Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>What values can be used with the Method attribute of the Form?</li> <li>What values can be used with the Method attribute of the Form?</li> <li>A Form is an object that is used for collecting data from the user.</li></ol></li></ul>			
<ul> <li>option selected&gt;JAPAN</li> <li>option&gt;MALAYSIA</li> <li>* 1 mark for writing the correct method to highlight one item or for demonstrating using an example.</li> <li>Or</li> <li>15. Carefully read and answer the following questions with respect to HTML:         <ol> <li>i. What is a Form?</li> <li>ii. What does a Form consist of?</li> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> </ol> </li> <li>Ans:         <ol> <li>A Form is an object that is used for collecting data from the user.</li> <li>1 mark for correct answer</li> </ol> </li> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.             <ol> <li>1 mark for correct answer</li> <li>iii. <form> </form></li> <li>Form&gt; tag is used to insert a Form in a HTML document. It is a</li> <li>iii. </li> <li>Form&gt; </li> <li>Form in a HTML document. It is a</li> <li>iiii. </li> <li>iiii. </li> <li>iiiiiii. </li> <li>iiiiiiiiiiiiiiiiii</li></ol></li></ul>		<select></select>	
<ul> <li>option&gt;MALAYSIA</li> <li>/select&gt;         <ul> <li>1 mark for writing the correct method to highlight one item or for demonstrating using an example.</li> </ul> </li> <li>Or         <ul> <li>15. Carefully read and answer the following questions with respect to HTML:</li></ul></li></ul>			
I mark for writing the correct method to highlight one item or for demonstrating using an example.  Or  15. Carefully read and answer the following questions with respect to HTML:  i. What is a Form?  ii. What does a Form consist of?  iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?  iv. What values can be used with the Method attribute of the Form?  v. How is a Submit button different from a Reset Button in a Form?  Ans:  i. A Form is an object that is used for collecting data from the user.  o 1 mark for correct answer  ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  o 1 mark for correct answer  iii. <form> </form> tag is used to insert a Form in a HTML document. It is a			
Or  15. Carefully read and answer the following questions with respect to HTML:  i. What is a Form?  ii. What does a Form consist of?  iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?  iv. What values can be used with the Method attribute of the Form?  v. How is a Submit button different from a Reset Button in a Form?  Ans:  i. A Form is an object that is used for collecting data from the user.  o 1 mark for correct answer  ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  o 1 mark for correct answer  iii. <form> </form> tag is used to insert a Form in a HTML document. It is a			
Or  15. Carefully read and answer the following questions with respect to HTML:  i. What is a Form?  ii. What does a Form consist of?  iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?  iv. What values can be used with the Method attribute of the Form?  v. How is a Submit button different from a Reset Button in a Form?  Ans:  i. A Form is an object that is used for collecting data from the user.  o 1 mark for correct answer  ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  o 1 mark for correct answer  iii. <form> </form> tag is used to insert a Form in a HTML document. It is a			
<ul> <li>15. Carefully read and answer the following questions with respect to HTML: <ol> <li>i. What is a Form?</li> <li>ii. What does a Form consist of?</li> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> </ol> </li> <li>Ans: <ol> <li>i. A Form is an object that is used for collecting data from the user.</li> <li>o 1 mark for correct answer</li> </ol> </li> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.</li> <li>o 1 mark for correct answer</li> <li>iii. <form> </form> tag is used to insert a Form in a HTML document. It is a</li> </ul>		demonstrating using an example.	
<ul> <li>15. Carefully read and answer the following questions with respect to HTML: <ol> <li>i. What is a Form?</li> <li>ii. What does a Form consist of?</li> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> </ol> </li> <li>Ans: <ol> <li>A Form is an object that is used for collecting data from the user.</li> <li>1 mark for correct answer</li> </ol> </li> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.</li> <li>1 mark for correct answer</li> <li>iii. <form> </form> tag is used to insert a Form in a HTML document. It is a</li> </ul>			
<ul> <li>i. What is a Form?</li> <li>ii. What does a Form consist of?</li> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> <li>Ans: <ul> <li>i. A Form is an object that is used for collecting data from the user.</li> <li>o 1 mark for correct answer</li> </ul> </li> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.</li> <li>o 1 mark for correct answer</li> <li>iii. <form> </form> tag is used to insert a Form in a HTML document. It is a</li> </ul>	15		-
<ul> <li>iii. Which tag is used to insert a Form in a HTML document? Is it a container or a non container tag?</li> <li>iv. What values can be used with the Method attribute of the Form?</li> <li>v. How is a Submit button different from a Reset Button in a Form?</li> <li>A Form is an object that is used for collecting data from the user.  <ul> <li>1 mark for correct answer</li> </ul> </li> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  <ul> <li>1 mark for correct answer</li> </ul> </li> <li>iii. </li> <li>Form&gt; </li> <li>Form&gt; tag is used to insert a Form in a HTML document. It is a</li> </ul>	13.		
iv. What values can be used with the Method attribute of the Form? v. How is a Submit button different from a Reset Button in a Form?  Ans:  i. A Form is an object that is used for collecting data from the user.  o 1 mark for correct answer  ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  o 1 mark for correct answer  iii. <form> </form> tag is used to insert a Form in a HTML document.It is a			
iv. What values can be used with the Method attribute of the Form?  v. How is a Submit button different from a Reset Button in a Form?  Ans:  i. A Form is an object that is used for collecting data from the user.  o 1 mark for correct answer  ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  o 1 mark for correct answer  iii. <form> </form> tag is used to insert a Form in a HTML document. It is a			
<ul> <li>v. How is a Submit button different from a Reset Button in a Form?</li> <li>A Form is an object that is used for collecting data from the user.  <ul> <li>1 mark for correct answer</li> </ul> </li> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  <ul> <li>1 mark for correct answer</li> </ul> </li> <li>iii. <form> </form> tag is used to insert a Form in a HTML document. It is a</li> </ul>			
<ul> <li>ii. A Form consists of the elements of a form called the form fields. These fields may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.         <ul> <li>1 mark for correct answer</li> </ul> </li> <li>iii. </li> <li>Form&gt; <!--/i--> </li> <li>iii. s a HTML document.It is a</li> </ul>			
may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.  o 1 mark for correct answer  iii. <form> </form> tag is used to insert a Form in a HTML document.It is a	Ans:	$\mathcal{L}$	
		may be text field, text area, drop-down box, radio buttons, checkbox and/or a command button.	
o ½ mark for the correct tag.		container tag.	
o ½ mark for identifying the tag as a container tag.			
iv. The values that can be used with the Method attribute of the Form are:  O Get O Post		o Get	

form elements in a form	
<ul> <li>a. What are Layers?</li> <li>b. What is the purpose of using Layers?</li> <li>c. Abhay scanned a few photos but some colourful enough. How can he improded. What steps should Shikha perform to prescription of her Aunt which she here. How is Flip tool different from Rotate transparent sheets one on top of the other. You layer to the layers below.</li> <li>• 1 mark for correctly explaining Layer belows us to work with one element.</li> </ul>	submits the data collected through the button resets all controls/form elements
Ans:  a. In GIMP terminology, each individual transparent sheets one on top of the other. Y layer to the layers below.  • 1 mark for correctly explaining Layer b. Layers allows us to work with one element	ove their tonal range? o enlarge the image of the Medical as opened in GIMP?
<ul> <li>1 mark for writing the correct use.</li> <li>c. If some of the scanned photos do not look their tonal range with the "Auto" button in the 1 mark for the correct answer</li> <li>d. Step 1: Click on Image-&gt; Scale Image Step 2: Set the required width and height step 2: The produces its whereas are step.</li> <li>e. Using a Flip tool on an image produces its Whereas are step.</li> <li>1 mark for correct difference</li> </ul>	nsparency is called a Layer. Layers are the ou can see through transparent areas of a set of an image without disturbing the at change the appearance of the image.  It colourful enough, we can easily improve the Levels tool (Colours—Levels).